

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director
Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

For a petition to be considered valid it must:

1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24894

Stream : Ohio River

Applicant : Randy Sagar
403 Shore Acres
Jeffersonville, IN 47130-9469

Description : An existing carport will be removed and an attached garage with a second story apartment will be constructed onto an existing residence. Details of the project are contained in information and plans received at the Division of Water on June 23, 2008.

Location : 403 Shore Acres Drive, along the right bank of the river at the intersection of Spring Street and Front Street

at Jeffersonville, Utica Township, Clark County
Clark Military Grant #7, Jeffersonville, IN-KY Quadrangle
Quad Code: 3808536
UTM Coordinates: Downstream 4243309 North, 617771 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24897

Stream : Edgerton-carson Ditch

Applicant : Hanson Aggregates Midwest, Inc.
Bruce Rowley
7432 Lower Huntington Road
Fort Wayne, IN 46809-9616

Description : An existing 72" by 24' long reinforced concrete pipe culvert will be extended 80' to allow the existing drive over the stream to be widened. The proposed culvert extension will be the same diameter and slope as the existing culvert. No headwalls or end sections are proposed. Riprap will be placed around the exterior of the proposed extension. Details of the project are contained in information and plans received at the Division of Water on June 23, 2008 and July 15, 2008.

Location : Approximately 650' downstream of the Dawkins Road (State Route 14) stream crossing
near Edgerton, Jackson Township, Allen County
NW¼, Section 9, T 30N, R 15E, Woodburn South, IN-OH Quadrangle
Quad Code: 4108417
UTM Coordinates: Downstream 4549466 North, 681778 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24902

Stream : Ohio River

Applicant : City of Jeffersonville
Bob Manor
500 Quartermaster Court
Jeffersonville, IN 47130-3671

Description : A concrete platform/walkway will be constructed along the right bank of the river. Also five 12" anchoring spuds will be installed in the river to accommodate a stage barge. Details of the project are contained in information and plans received at the Division of Water on June 25, 2008.

Location : The proposed site is along the Ohio River in Jeffersonville, IN. It is near the intersection of Spring Street & Riverside Drive
near Jeffersonville, Jeffersonville Township, Clark County
Clark Military Grant #1, Jeffersonville, IN-KY Quadrangle
Quad Code: 3808536
UTM Coordinates: Downstream 4236357 North, 610142 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Application # : FW-24904

Stream : Wildcat Creek

Applicant : Tom Scott
517 Shady Creek Drive
Lafayette, IN 47905-8409

Description : Approximately 250' of Wildcat Creek's eroded south left streambank will be stabilized with Class 2 riprap placed over geotextile fabric to protect the bank from further erosion. The riprap will be keyed into the streambed at its base and will conform to the existing bank at the project limits. It will have a maximum height of 4', a maximum streamward projection of 2' beyond the existing bank, and 2:1 sideslopes. Details of the project are contained in information and plans received at the Division of Water on July 1, 2008.

Location : Along the southwesterly bank of Wildcat Creek, across the frontage of 517 Shady Creek Drive (Lot 4, Wildcat Valley Estates Phase 1)
near Lafayette, Fairfield Township, Tippecanoe County
NE¼, NW¼, Section 24, T 23N, R 4W, Lafayette East Quadrangle
Quad Code: 4008647
UTM Coordinates: Downstream 4475460 North, 515237 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24907

Stream : West Fork White River

Applicant : Division of Fish & Wildlife
Gregg McCollam
402 West Washington Street
ICG South, Room 273
Indianapolis, IN 46204-2781

Description : A 15' by 150' steel-reinforced concrete boat ramp will be constructed at a 45 degree angle over a portion of the existing ramp along the West Fork White River to provide improved access. The ramp will extend approximately 30' into the river. Approximately 900 tons of 9" to 12" riprap will be used to fill the old ramp channel and will be contoured to reshape the riverbank. Approximately 1700 tons of 9" to 12" revetment riprap, 300 tons of #2 crushed stone, and 450 tons of #53 crushed stone will be used for the ramp base and parking area repair. Approximately 7% of this material will be placed below the ordinary high water mark. Of this amount, 300 tons of 9" to 12" revetment riprap will be added to the adjacent river banks for bank stabilization with 7% of this material also being placed below the ordinary high water mark. In addition, a 6' by 8' concrete loading platform will be built on the downstream side of the launch ramp along with a 5' by 20' sidewalk connecting to a 17' by 20' ADA concrete parking pad. Details of the project are contained in information and plans received at the Division of Water on July 2, 2008.

Location : 0.5 miles SE of Spencer, IN, on the West Fork of the White River located 1.15 miles east of Pottersville Rd (25) on River Road (325)
near Spencer, Washington Township, Owen County
SW¼, NW¼, NE¼, Section 28, T 10N, R 3W, Gosport Quadrangle
Quad Code: 3908636
UTM Coordinates: Downstream 4347753 North, 521603 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24931

Stream : Sugar Creek

Applicant : U.S. Aggregates Inc
Don Smith
5400 West 86th Street
Indianapolis, IN 46234-1502

Description : Approximately 300' of Sugar Creek's eroded east (left) streambank will be stabilized with end dumped rubblized concrete placed over a geotextile fabric and augmented with live post plantings to protect the bank from further erosion. The locally-derived rubblized concrete will be placed along the streambed with the largest pieces compacted at the base and the remaining pieces conforming to the existing bank at the project limits. Live posts will be installed and tamped at right angles to the embankment. The stabilization will have a maximum height of 25', a maximum streamward projection of 3' beyond the existing bank, and 1:1 sideslopes. Details of the project are contained in information received electronically at the Division of Water on July 28, 2008 and in plans and information received at the Division of Water on

Location : Approximately 1,950' northeast (upstream) of the County Road 700 North (West 246th Street) bridge crossing to 2,250' (upstream) of same crossing near Thorntown, Sugar Creek Township, Boone County
Section 27, R 4E, Colfax Quadrangle
Quad Code: 4008626

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : LM-160

Lake : Lake Michigan

Applicant : Port of Indiana-Burns Harbor
John W Hughes, PE
6625 South Boundary Drive
Portage, IN 46368-1280

Description : Stone material will be placed as needed where scour holes have developed or where dockwall movement has occurred. The stone material will be quarried, clean material and will range from 6" to 18" in diameter. Depending on the size of the scour holes, the depth of the stone will vary from 6" to 5' and will be placed approximately 50' lakeward of the existing dockwalls. No stone material will be placed above the elevation of the harbor bottom of 550.7', IGLD 1985. In addition, existing sheet piling will be reinforced by installing additional sheet piling in the harbor bottom in front of the existing sheet piling. The new piling will extend down 25' below the existing piling. Details of the project are contained in information and plans received at the Division of Water on July 22, 2008.

Location : At Lake Michigan's Port of Indiana, West Harbor Arm, East Harbor Arm, and Outer Harbor

DOWNSTREAM: near Portage, Portage Township, Porter County
Section 30, T 37N, R 7W, Ogden Dunes Quadrangle
Quad Code: 4108762
UTM Coordinates: Downstream 4609324 North, 486532 East
UPSTREAM: T 38N, R 6W

UTM Coordinates: Upstream 4609362 North, 487567 East

Statute/Rule : Navigable Waterway Act, with the associated IC 14-29-1, Navigable Waterway Rule, 312 IAC 6

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-21090

Lake : Irish Lake

Applicant : Lyle D Kleckner
116 EMS B61 I Lane
Warsaw, IN 46582-6687

Description : An approximate 10' by 27' area of an existing channel will be restored to its original condition by removing a maximum of 1' of debris and sediment from the lakebed. The excavated material will be transported to an upland detention area where it will be dewatered before being transported to an offsite disposal area. Adequate detention time will be provided to allow suspended sediments to settle out of the decanted water before returning the water to the stream. In addition, an existing 8.5' by 20' boat ramp adjacent to the proposed dredging will be removed. Details of the project are contained in information and plans received at the Division of Water on June 30, 2008.

Location : 116 EMS B61I Lane
near North Webster, Kosciusko County
Section 28, North Webster Quadrangle
Quad Code: 4108536
UTM Coordinates: Downstream 4572160 North, 606690 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : PL-21091
- Lake : Big Long Lake
- Applicant : Big Long Lake Association
Jim Williams
5398 South 980 East
Wolcottville, IN 46795-8720
- Description : Four separate areas will be dredged to restore the lakebed to original conditions. Approximately 1500 cubic feet of accumulated muck and debris will be removed from the lakebed by dredging to a maximum depth of 3' below the lake's legal level. The excavated material will be transported to an upland containment area for dewatering and disposal. Details of the project are contained in information and plans received at the Division of Water on July 1, 2008 and July 11, 2008.
- Location : Beginning at the East 500 South stream crossing and extending along the northern shoreline approximately 2600' west, 390' south, and 1000' southeast as well as 3 additional areas along the south and west shoreline.
near South Milford, Milford Township, LaGrange County
NW¼, Section 27, T 36N, R 11E, Stroh Quadrangle
Quad Code: 4108552
UTM Coordinates: Downstream 4603200 North, 646207 East
- Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11
- Application # : PL-21107
- Lake : Round Lake
- Applicant : Raydeen Howe
5921 North County Road 350 East
Columbia City, IN 46725
- Description : A 50' by 5" concrete seawall resurface is proposed. Specific project information will be added to the description as the application is further reviewed. Details of the project are contained in information and plans received at the Division of Water on July 15, 2008.
- Location : Shoreline of 3470 State Campground Road; approximately 150' east and 175' south of the County Road 350 East and State Camp Road intersection
near Columbia City, Smith Township, Whitley County
NE¼, NE¼, NE¼, Section 12, T 32N, R 9E, Merriam Quadrangle
Quad Code: 4108534
UTM Coordinates: Downstream 4567740 North, 631993 East
- Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-21114

Lake : Bass Lake

Applicant : LAWRENCE & MARGO BRUST
LAWRENCE & MARG BRUST
6004 South County Road 210
KNOX, IN 46534

Description : An existing 50' seawall will be refaced across a portion of the 50' frontage of the applicant on Bass Lake to prevent deterioration. The refacing will consist of reinforced concrete which will be tied to the existing wall with 1/2" rerod. The refacing will have a maximum thickness of 12" and will be sloped on the lakeward side. A 24" wide concrete walkway will be constructed on top and landward of the lakeward face of the refaced wall. The walkway on top will be 4" thick. The corners will be angled. Details of the project are contained in information received electronically at the Division of Water on July 21, 2008 and in plans and information received at the Division of Water on July 23, 2008.

Location : 6004 South County Road 210
near Knox, California Township, Starke County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11